





# Systematic Anatomy

## Locomotor system - Part 5

*Introduction to myology*

*The muscles of head, neck and trunk*



肌学总论，头颈躯干肌



Prof.& Ph.D 张红旗


复旦大学基础医学院解剖与组织胚胎学系

复旦大学枫林校区

# English words quiz

- |                          |  |
|--------------------------|--|
| 1. Promontory            | 1. Promontory 骼骨岬                      |
| 2. Ischium               | 2. Ischium 坐骨                          |
| 3. Greater sciatic notch | 3. Greater sciatic notch 坐骨大切迹         |
| 4. Obturator foramen     | 4. Obturator foramen 闭孔                |
| 5. Gluteal tuberosity    | 5. Gluteal tuberosity 臀肌粗隆             |
| 6. 大转子                   | 6. 大转子 greater trochanter              |
| 7. 半月板                   | 7. 半月板 meniscus                        |
| 8. 交叉韧带                  | 8. 交叉韧带 cruciate ligament              |
| 9. 髯骨                    | 9. 髯骨 cuboid                           |
| 10. 小腿骨间膜                | 10. 小腿骨间膜 interosseous membrane of leg |


# Myology 肌学




# Classification of the muscle according to structure




Skeletal muscle 骨骼肌  
(mainly attach to bones)  
收缩快速而有力



Cardiac muscle 心肌  
(in heart) 自律性和同步收缩



Voluntary Muscle  
随意肌



striated muscle 横纹肌  
*(Alternating light & dark pattern)*

Involuntary muscle 不随意肌

Smooth muscle 平滑肌  
(within the walls of vessel & viscera)  
收缩缓慢而持久

# General description of skeletal muscles

- ◆ The skeletal muscles are the muscles **attached to the bone**, fascia or skin.
- ◆ Muscles occupy about **40%** of body weight.
- ◆ More than **600** muscles in the whole body (**640BBC**)
- ◆ Each muscle possess a definite **shape, structure, location, blood supply & nerve innervation**.
- ◆ Each muscle is regarded as a **living organ**.
- ◆ **Necrosis**坏死 (if lost blood supply), **Paralysis**麻痹 (if lose nerve control), **Atrophy**萎缩 (don't use for a long time).

# Classification of the muscle according to position

◆ Head muscle

◆ Neck muscle

◆ Trunk muscle →

Muscles of back 背肌

Muscles of thorax 胸肌

Diaphragm 膈

Muscles of Abdomen 腹肌

Perineal muscles 会阴肌

◆ Muscles of upper limb

Muscles of shoulder 肩肌

Muscles of arm 臂肌

Muscles of forearm 前臂肌

Muscles of hand 手肌

◆ Muscles of lower limb →

Muscles of hip 髋肌

Muscles of thigh 大腿肌

Muscles of leg 小腿肌

Muscles of foot 足肌



# Classification of muscle according to shape

## Classification


Long muscle 长肌




Short muscle 短肌



Broad muscle 阔肌



Orbicular muscle 轮匝肌



Short m.

Broad m.

Orbicular m.  
Annual ring 年轮

Long  
muscles



Pennate  
羽状的

Biceps  
二头肌

Unipennate  
单羽肌

Bipennate  
双羽肌

Multipennate  
多羽肌

Digastric  
Muscle  
二腹肌

Rectus abdominis  
腹直肌  
Multibelly m. 多腹肌

# Learn it by yourself





FIGURE 1.18. Architecture and shape of skeletal muscles. The architecture and shape of a skeletal muscle depend on the arrangement of its fibers.

# Structure of skeleton muscle

Muscular part 肌性部 & tendinous part 筋性部

Muscular part



Tendon  
肌腱

Belly  
肌腹

Tendon  
肌腱

Muscular part

Tendinous 筋划  
intersection



Belly-contract 收缩  
Tendon-don't contract

1-Origin 起点

2-Belly 肌腹

3-Tendon 肌腱

4-Insertion 止点



1. Usually muscle distribute paired 成对分布
2. Muscle works by functional groups 功能群
3. Extensor & flexor 伸肌和屈肌
4. Pronator & supinator 旋前肌和旋后肌
5. Adductor & abductor 内收肌和外展肌
6. Medial rotator & lateral rotator 旋内肌与旋外肌

图 3-3 原动肌与拮抗肌作用示意图

◆ Shape

Deltoid 三角肌, trapezius 斜方肌

◆ Size

Major, minor, longus, brevis 短

◆ Location

Pectoralis major 胸大肌

Intercostal m. 肋间肌

◆ Points of attachment

Sternocleidomastoid m. 胸锁乳突肌

◆ Orientation of fiber

Rectus 直, oblique 斜, transverse 橫

◆ Relative position

Lateral, medial, internal & external

◆ Function

Adductor 内收肌, flexor 屈肌, extensor 伸

pronator 旋前肌, adductor 展肌 etc.



# Movement of muscle

---

## ◆ How to analyze the motion of the muscle

According to origin & insertion of the muscle 起始点

Pass the number & direction of joint 肌肉跨过关节数量

Pass the location or direction of joint 跨过关节位置



# Supplementary structures of muscle


---

1. Fascia 筋膜
2. Synovial bursa 滑液囊
3. Tendinous sheath 腱鞘
4. Sesamoid bone 籽骨

# Accessory structure of muscle-Fascia

## Superficial fascia 浅筋膜

Fat, superficial vein, cutaneous n.  
lymph vessel, connective tissue



A. 筋膜和筋膜鞘

Periosteum 骨膜


Synovial sheath 滑膜鞘

Phalanx 指骨

Copy Right- Hongqi ZHANG-Department of Anatomy

## Deep fascia 深筋膜

Dense connective tissue  
Muscular septum 肌间隔  
Blood vessel, nerve sheath



## Tendinous sheath 腱鞘

1- Fibrous sheath 纤维层


2- Synovial sheath 滑膜层

3- Mesotendon 腱系膜


C

# Accessory structures of muscle-Synovial bursa

Synovial bursa is a extension of articular capsule,in which it contain fluid.like a water pad  
Is between tendon and bone.



**Synovial bursa** 滑膜囊



**Sesamoid  
Bone** 稀骨

Sesamoid bone generally is located in the tendon, which functions as a pad and make tendon bearing rub

# Function of the skeletal muscle

- 
- 1. Movement 运动
  - 2. Heat production 产热
  - 3. Support and protection 支持保护
  - 4. Maintenance of posture 维持姿势

# Muscles of the Head

Muscle of head

Facial Muscle 面肌

Masticatory muscles 咀嚼肌

Epicranial m. 颅顶肌

Orbicular muscle of eye 眼轮匝肌

Nasal muscle 鼻肌

Muscles around the month 口周围肌

Temporal muscle 颞肌

Masseter 咬肌

Medial pterygoid muscle 翼内肌

Lateral pterygoid muscle 翼外肌

Epicranial muscle 颅顶肌-枕额肌




1-Frontal belly 额腹 1a occipital belly 枕腹

2-Epicranial aponeurosis 帽状腱膜

Muscle around the eye **Orbicularis oculi** 眼轮匝肌

Nasal muscle

Muscle around the mouth **orbicularis oris** 口轮匝肌



# Masticatory muscles 咀嚼肌

1-Temporal muscle 颞肌

2-Masseter 咬肌

3-Lat. pterygoid m. 翼外肌

4-Med.pterygoid m. 翼内肌

## Function

Open & close the mouth

Mandibular joints movement

Laterally side-to-side








图 2-6 头肌深层



mm103015 www.fotosearch.com

- 1-Lat. pterygoid m. 翼外肌  
2-Med. pterygoid m. 翼内肌



Superior head of the lateral pterygoid	翼外肌上头
Inferior head of the lateral pterygoid	翼外肌下头
Deep head of the medial pterygoid	翼内肌深头
Superficial head of the medial pterygoid	翼内肌浅头



## Function

Open and close the mouth  
Mandibular joints move laterally  
Side-to-side

**【咬 肌】浅层:** 起于上颌骨颧突、颧弓前2/3，止于咬肌粗隆。

**深层:** 起于颧弓深面，止于下颌支上部和喙突。


**作用:** 收缩上提下颌骨，也参与下颌侧向运动及后退运动。



# 咀嚼肌-翼内肌与翼外肌

**【翼外肌】** 上头：起自蝶骨大翼的颞下面和颞下嵴。下头：起自翼外板的外面。止于：下颌颈翼肌窝，部分止于下颌关节囊和关节盘。作用：双侧同时收缩作张口运动，单侧收缩使下颌向对侧运动。

**【翼内肌】** 浅头：起自上颌结节和腭骨锥突。深头：起自翼外板的内侧面和腭骨锥突。止于：下颌内侧面及翼肌粗隆。功能：上提下颌骨。一侧收缩，产生侧向运动。




闭口肌群：


咬肌、颞肌  
和翼内肌。

开口肌群：


二腹肌、下颌  
舌骨肌和颏舌  
骨肌。



**咀嚼肌悬带：**咬肌与翼内肌组成一悬挂下颌骨的肌肉悬带。可以实现有力的**闭口**，并在单侧工作时实现下颌骨的**侧向运动**。下颌骨内侧界与翼内肌之间的间隙称为**翼下颌间隙**，有**重要临床意义**，是下牙槽神经**局部麻醉**的注射区域。



A





B

A. 移除下颌骨冠状突和颞肌下部，以便于同时观察翼内肌、翼外肌。


B. 移除颞肌，于翼外肌下头开窗。翼外肌启动降下颌骨运动，随后由舌骨上、下肌群和重力继续完成。打开颞下颌关节，可见来自翼外肌上头的肌纤维与关节盘相交织。翼外肌是颞下颌关节的引导肌肉。翼内肌走行与翼外肌近乎垂直，并参与构成部分包绕下颌骨的肌肉悬带。注意翼外肌下头于翼内肌两头之间发出。

Copy Right- Hongqi ZHANG-Department of Anatomy-Fudan University

# 咀嚼肌-翼内肌与翼外肌-外面观



Copy R 咀嚼肌-翼内肌与翼外肌-内面观 University



# Muscles of the neck

Muscles  
of the  
neck

Superficial mm.  
浅层肌

Anterior cervical mm.

Deep mm. 颈深肌

Platysma m. 颈阔肌

Sternocleidomastoid m.  
胸锁乳突肌

Suprahyoid mm. 舌骨上肌群

Infrahyoid mm. 舌骨下肌群


Lateral group 外侧群

Medial group. 内侧群

# Platysma 颈阔肌

## Skin muscle


**Arise from the deep fascia over the pectoralis major & detoid & inserted into the skin of lower part of the face.**



A. Anterior View

## Action

Tense the skin of neck  
Draws corners of mouth down  
Assists in depressing mandible



Both platysma contract

# Superficial muscles of the neck

## Sternocleidomastoid m. 胸锁乳突肌

Name from origin and insertion


A prominent visible landmark

Action- **Acting alone**: The head is inclined laterally & the face rotate to the opposite side


**Acting together**- they draw the head backward or raise the head



Both side mm. contract



One side. contracts





Muscle of neck lateral view

1-Digastric m.二腹肌

2-Stylohyoid m.茎突舌骨肌

3-Mylohyoid m.下颌舌骨肌

4-Geniohyoid m.颏舌骨肌



Pull the hyoid upward, backward & help to depress the mandible when the hyoid is fixed

Superficial layer


1-Sternohyoid m. 胸骨舌肌

2-Omohyoid m. 肩胛舌骨肌

Deep layer

3-Sternothyroid m. 胸骨甲状肌

4-Thyrohyoid m. 甲状舌骨肌



Length of muscle 1= m 3 + m 4

### Action


1-Depresses the hyoid bone as it contracts

2-Larynx is pulled downward

3-Elevates the larynx and lowers the hyoid bone

4-It acts to depress the hyoid bone

# Suprahyoid & infrahyoid mm. 舌骨上下肌群



## Lateral groups




1-Scalenus anterior 前斜角肌

2-Scalenus medius 中斜角肌

3-Scalenus posterior 后斜角肌

### Action


Elevate the 1<sup>st</sup> &  
2<sup>nd</sup> rib & help to  
inspiration 吸气




Ant.view of cervical muscles

# Scalene fissure 斜角肌间隙


Between scalenus ant. & mid. subclavian a. &  
Brachial plexus pass from the fissure




# Muscles of the trunk



Thorax m.  
Back m.  
Abdomen m.



Perineal m.  
会阴肌



The diaphragm  
is shaped  
like a parachute



Diaphragm  
膈肌

# Muscles of back

## Superficial muscle

1-Trapezius 斜方肌

2-Latissimus dorsi 背阔肌

Deep mm.

3-Levator scapulae 肩胛提肌


4-Rhomboide m. 菱形肌

Movement of the limb


## Deep muscle

Erector spinae 竖脊肌

Movement of vertebral column



# Superficial muscle of back



Trapezius

斜方肌

Latissimus  
Dorsi 背阔肌

Large triangular in neck and back

**Origin:** ext. occipital protuberance

Spine of 1-7 cervical vertebra

Spine of 1-12 thoracic vertebrae

## Insertion

The lat. 1/3 of the clavicle

The acromion & the spine of scapula

**Action:** raises, descends, retracts & rotates the Scapula and extends the head

Large wide & triangular flat m. in back

## Origin:

Spinous process of 7-12 thoracic vertebrae.

Thoracolumbar fascia, spinous process of lumbar vertebrae, iliac crest

## Insertion

Crest of lesser tuberosity of humerus

**Action:** extends, adducts and medially rotates humerus at shoulder joint



Levator scapulae  
肩胛提肌

Rhomboideus  
菱形肌

Levator scapulae

A strap-like muscle

**Origin:** spine of 1-4 cervical vertebrae

**Insertion:** medial border of scapula

Rhomboideus like a rhomboid shape


**Origin:** spine of C<sub>7</sub> & T<sub>1-6</sub>

**Insertion:** medial border of scapula

### Action:

It elevates the scapula. It may also retract & fix the scapula with the romboideus

# Deep muscle of back



## Erector spinae 竖脊肌

**Origin:**

Sacrum ,ilium & related lig.

**Insertion:**

Ribs and vertebrae

**Action:**

When acting on one side it  
Bends and rotates the spinal  
Column toward the opposite side.

When acting on both sides  
It extends the spinal column.

# Muscles of thorax

## Extrinsic m. 胸上肢肌

(origin from thoracic wall,

Insertion to upper limb bone)

### Pectoralis major 胸大肌

### Pectoralis minor 胸小肌

### Serratus anterior 前锯肌

## Intrinsic m. 胸固有肌

(both origin and insertion are  
in thoracic wall)

### Ext. Intercostal m. 肋间外肌

### Int. Intercostal m. 肋间内肌


### Transversus thoracis 胸横肌

### Intercostales intimi 肋间最内肌

Ext. intercostal membrane 肋间内膜

Int. intercostal membrane 肋间外膜





# Muscles of thorax- Pectoralis major 胸大肌



Axio-appendicular, neck, and anterolateral abdominal muscles overlying thoracic wall. The pectoralis major has been removed on the left side to expose the pectoralis minor, subclavius, and external intercostal muscles. When the upper limb muscles are removed, the superiorly tapering domed shape of the thoracic cage is revealed.

Copy Right- Hongqi ZHANG-Department of Anatomy-Fudan University

# Muscles of thorax- Pectoralis major 胸大肌



Large thick fan-shaped

**Origin:** The medial half of the clavicle

The sternum

The upper 6 costal cartilages



Aponeurosis of obliquus externus abdominis

**Insertion:** Crest of greater tuberosity of humerus

**Action:** Adduction, flexion & med.rotation of the arm.

When arm is fixed, draws the body upward.

# Muscles of thorax- Pectoralis minor 胸小肌



**Pectoralis minor-** small flat triangular m.



**Origin:** External surface of 3-5<sup>th</sup> ribs

**Insertion:** Cocacoid process of scapula

**Action:** Stablizes scapula by drawing it forward & downward. when the scapula is fixed, it helps

The inspiration. It is also useful landmark (axilla)

# Muscles of thorax- Serratus anterior 前锯肌



A large thin powerful in lateral part of thorax

**Origin:** external surface of upper 8 or 9 ribs




**Insertion:** internal border of the scapula

**Action:** Holds the scapula against the chest wall

Pulls the scapula forwards in throwing and pushing  
by fixing the scapula it helps the inspiration

Co

# External & internal intercostal m.



Puncture of thoracic wall

1-Ext.intercostal m.

2-Ext.intercostal membrane

3-Int.intercostal m.

4-Int.intercostal membrane

External intercostal m.


Help to inspiration

Internal intercostal m.


Help to expiration

Copy

# External & internal intercostal m.




(A) Lateral view




Green -external intercostal mm.  
Red -internal intercostal mm.


# Intercostal muscles.




# Intercostal muscles & blood vessels & nerves.




# Innermost muscles






Copyright © 2005 by Elsevier, Inc.



### Posterior view of ant. thoracic wall



- ◆ Locate on the int. surface of ant. thoracic wall
- ◆ Originate from lower part of sternum
- ◆ Insert to int. surface of 2-6 rib
- ◆ Function:to help to expiration

# Serrates anterior and intercostal mm.



# Diaphragm

- ◆ The dome-shaped septum 穹隆形
- ◆ Dividing thoracic cavity and abdominal one
- ◆ The muscular fiber is around the central tendon
- ◆ 3 portions: sternal, costal & lumbar parts
- ◆ Three openings (hole)
- ◆ Vena caval foramen 腔静脉孔
- ◆ Aortic hiatus 主动脉裂孔
- ◆ Esophageal hiatus 食管裂孔
- ◆ Important respiratory muscle
- ◆ Diaphragmatic hernia 膈疝




Three portions

Sternal part 胸骨部

Costal part 肋部

Lumbar part 腰部



Three foramen

1-Vena caval foramen 腔静脉孔 ( $T_8$ )

通过结构：下腔静脉


2-Esophageal hiatus 食管裂孔 ( $T_{10}$ )

通过结构：食管，迷走神经-2

3-Aortic hiatus 主动脉裂孔 ( $T_{12}$ )

通过结构：主动脉，胸导管

Copy Right- Hongqi ZHA 如何记忆?



# The important contents today

---

- ◆ Master the shape, classification and nomenclature of muscles.
- ◆ Master the accessory structures of muscle
- ◆ Master name, location and function of the masticatory muscle.
- ◆ Master the insertion, origin and function of the stenocleidomastoid & infrahyoid muscles
- ◆ Master the distribution & function of thoracic m. and back muscles.

- 1. Skeletal muscle 骨骼肌
- 2. Tendinous intersection 腱划
- 3. Origin & insertion 起点与止点
- 4. Extensor 伸肌
- 5. Flexor 屈肌
- 6. Abductor 展肌
- 7. Adductor 收肌
- 8. Levator 提肌
- 9. Sphincter 括约肌
- 10. Tendinous sheath 腱鞘
- 11. Occipitofrontal m. 枕额肌
- 12. Masticatory m. 咀嚼肌
- 13. Trapezius 斜方肌
- 14. Latissimus dorsi 背阔肌
- 15. Scalenus anterior 前斜角肌
- 16. Temporal muscle 颞肌
- 17. Serratus anterior 前锯肌
- 18. Masseter 咬肌
- 19. Medial pteroid 翼内肌
- 20. Skeletal muscle
- 21. Aortic hiatus 主动脉裂孔
- 22. Venal caval foramen 腔静脉裂孔
- 23. Esophageal hiatus 食管裂孔
- 24. Sternohyoid 胸骨舌骨肌
- 25. Diaphragm 膈
- 26. Omohyoid 肩胛舌骨肌
- 27. Erector spinae 竖脊肌
- 28. Pectoralis major 胸大肌
- 29. Internal Intercostal m. 肋间内肌
- 30. External intercostal m. 肋间外肌

# The content next lecture

---

The muscles of trunk (continued)

The muscles of upper limbs

Copy Right- Hongqi ZHANG-Department of Anatomy-Fudan University

# See you next time!



Copy Right- Hongqi ZHANG-Department of Anatomy-Fudan University